

Our exterior sliding doors are designed to make the most important entry on the barn easy to open and close, while providing a durable solution that will never need to be replaced. Handmade by expert craftsmen in our manufacturing shop, these doors are the perfect addition to enhance the character and style of your horse barn.

## Standard Features

- · Heavy-duty tubular aluminum construction
- · Round cannon-ball slide trolleys
- Standard 9" door pull handles
- · Approximately 2-5 hours for installation
- · Jamb latches for a solid seal
- Multi-step primer & powder coat; 35 colors available
- 0.25" standard tempered glass windows

### Our In-Stock Sizes

- 4' x 7' single slider with glass
- 8' x 8' split slider with glass
- 10' x 10' split slider with glass
- 12' x 8' split slider with glass
- 12' x 9' split slider with glass
- 12' x 10' split slider with glass
- · Custom-sizes available by special order

# Custom Options



#### Arch-tops

Elegant arch-topped doors make an elegant design statement.



#### Premium Finishes

Powder coat with a realistic wood finish. 12 wood color options, available for beadboard panels only.



#### Insulation

Double-pane insulated glass and foam-filled tubing provides extra thermal protection.



#### Premium Hardware

Solid brass, stainless steel, and premium coated handles add a layer of style to your doors.



# Sliding Door Hardware Details






















#### PROPRIETARY AND CONFIDENTIAL

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF JAE GRILL MANUFACTURING. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF JAE GRILL MANUFACTURING IS PROHIBITED.


	*DIMENSIONS ARE IN INCHES
	drawn MPB
	MATERIAL ALUMINUM
	FINISH POWDER COATED
	WEIGHT 510.89 lbs


12' X 10' SPLIT SLIDER WITH WINDOW


J&E GRILL MANUFACTURING

127 MEADOW CREEK ROAD

NEW HOLLAND, PA 17557







### DOOR TRACK SECTION DETAIL



# Threshold Details for Sliding Doors



