

Our Dutch doors combine traditional charm with unmatched durability, creating a long-lasting solution for your barn. Each door is handmade using premium materials that outperform standard options in both strength and appearance. Designed to allow airflow and visibility while maintaining security, these doors are a smart and stylish upgrade for any horse barn.

Standard Features

- · Heavy-duty tubular aluminum construction
- 1.5" x 3.5" tube frame for easy exterior finishing
- · Welded-on greasable hinges
- Typically less than 1 hour for installation
- · Stainless steel slide latch
- Multi-step primer & powder coat; 35 colors available
- 0.25" standard tempered glass windows

Our In-Stock Sizes

- 47.5" x 83.5" with Window Top
- 47.5" x 83.5" with Double-X Panel
- 47.5" x 94.5" with Window Top
- 47.5" x 94.5" with Double-X Panel
- Custom sizes and options by special order

Custom Options



Arch-tops

Elegant arch-topped doors make an elegant design statement.



Premium Finishes

Powder coat with a realistic wood finish. 12 wood color options, available for beadboard panels only.



Insulation

Double-pane insulated glass and foam-filled tubing provides extra thermal protection.



Protective Grill

Hinged aluminum protective grill adds peace of mind, flexibility, safety, and security.



Dutch Door with Window Details





















PROPRIETARY AND CONFIDENTIAL

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF JAE GRILL MANUFACTURING. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF JAE GRILL MANUFACTURING IS PROHIBITED.

	*DIMENSIONS ARE IN INCHES	
	DRAWN	MPB
	MATERIAL	ALUMINUM
	FINISH	POWDER COATED
	WEIGHT	182.56 lbs

4' X 95" R.O. DUTCH DOOR WITH WINDOW

J&E GRILL MANUFACTURING

127 MEADOW CREEK ROAD

NEW HOLLAND, PA 17557



Framing / Opening Preparation





Image shows suggested framing for pole barn installation. Recommended rough opening size is 48" x 95".



Although not recommended by J&E, siding can be installed before the door. Allow 1/16" gap on sides and top. Refer to print for outer door dimensions.