

Our awning windows combine everyday function with long-lasting craftsmanship. Built from heavy-duty materials and designed to open outward on a hinge, they allow fresh air into your barn while keeping the interior protected from the elements. Each window is handmade for durability, making it a smart, low-maintenance solution for adding ventilation and light to your stable.

Standard Features

- · Heavy-duty tubular aluminum construction
- 1.5" x 3.5" tube frame for easy exterior finishing
- · Welded-on greasable hinges
- Typically less than 1 hour for installation
- · Stainless steel interior latch
- Multi-step primer & powder coat; 35 colors available
- 0.25" standard tempered glass windows

Our In-Stock Sizes

- 35.5" x 35.5" (for 36" x 36" R.O.)
- 47.5" x 36.5" (for 48" x 37" R.O.)
- 47.5" x 47.5" (for 48" x 48" R.O.)
- Custom sizes and options by special order

Custom Options



Custom Sizes

Our craftsman can fabricate to your specifications, with custom sizes up to 50" in height or 12' in width.



Premium Finishes

Powder coat with a realistic wood finish. 12 wood color options, available for beadboard panels only.



Insulation

Double-pane insulated glass and foam-filled tubing provides extra thermal protection.



Grid Patterns

Available in meticulously crafted grid patterns that blend form, function, and style.



Awning Window Details

Standard Features











Protection Options







PROPRIETARY AND CONFIDENTIAL

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF JAE GRILL MANUFACTURING. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF JAE GRILL MANUFACTURING IS PROHIBITED.

G.	*DIMENSIONS ARE IN INCHES		
	DRAWN	MPB	
	MATERIAL	ALUMINUM	
	FINISH	POWDER COATED	
	WEIGHT	/7.71 lbs	

3' X 3' R.O. AWNING STYLE DUTCH WINDOW

J&E GRILL MANUFACTURING

127 MEADOW CREEK ROAD NEW HOLLAND, PA 17557

Framing / Opening Preparation





Image shows suggested framing for pole barn installation. Recommended rough opening size is 36" x 36".



Although not recommended by J&E, siding can be installed before the window. Allow 1/16" gap on sides and top. Refer to print for outer window dimensions.