

Our awning windows combine everyday function with long-lasting craftsmanship. Built from heavy-duty materials and designed to open outward on a hinge, they allow fresh air into your barn while keeping the interior protected from the elements. Each window is handmade for durability, making it a smart, low-maintenance solution for adding ventilation and light to your stable.

## Standard Features

- · Heavy-duty tubular aluminum construction
- 1.5" x 3.5" tube frame for easy exterior finishing
- · Welded-on greasable hinges
- Typically less than 1 hour for installation
- · Stainless steel interior latch
- Multi-step primer & powder coat; 35 colors available
- 0.25" standard tempered glass windows

## Our In-Stock Sizes

- 35.5" x 35.5" (for 36" x 36" R.O.)
- 47.5" x 36.5" (for 48" x 37" R.O.)
- 47.5" x 47.5" (for 48" x 48" R.O.)
- · Custom sizes and options by special order

# Custom Options



### Custom Sizes

Our craftsman can fabricate to your specifications, with custom sizes up to 50" in height or 12' in width.



### Premium Finishes

Powder coat with a realistic wood finish. 12 wood color options, available for beadboard panels only.



### Insulation

Double-pane insulated glass and foam-filled tubing provides extra thermal protection.



### Grid Patterns

Available in meticulously crafted grid patterns that blend form, function, and style.



# Awning Window Details

## Standard Features











# Protection Options







### PROPRIETARY AND CONFIDENTIAL

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF JAE GRILL MANUFACTURING. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF JAE GRILL MANUFACTURING IS PROHIBITED.

S 3.	*DIMENSIONS ARE IN INCHES		
	DRAWN	MPB	
	MATERIAL	ALUMINUM	
	FINISH	POWDER COATED	
	WEIGHT	102 41 lbs	

4' X 4' R.O. AWNING STYLE DUTCH WINDOW

### J&E GRILL MANUFACTURING

127 MEADOW CREEK ROAD NEW HOLLAND, PA 17557

### Framing / Opening Preparation





Image shows suggested framing for pole barn installation. Recommended rough opening size is 48" x 48".



Although not recommended by J&E, siding can be installed before the window. Allow 1/16" gap on sides and top. Refer to print for outer window dimensions.